

INDEX MAPS.

T.24N. R.15E. 2nd Mer.

	380		381		381		382		
384	6	388	5	392	4	398	3	2	1
	388		392		397-403		398		
384	7	387	8	392	9	397	10	11	12
	387		391		396		397		
383	18	387	17	391	16	396	15	14	13
	386		390		395		396		
383	19	386	20	390	21	395	22	23	24
	386		390		394		395		
38	30	385	29	389	28	394	27	26	25
	385		389		393		394		
382	31	385	32	389	33	393	34	35	36
	379		379		379		380		

State Line

Meadows 399

T.25N. R.15E.

2nd Mer.

	407	407	408	408					
410	6	404	5	408	4	414	3	2	1
	404		408		414		414		
410	7	413	8	408	9	413	10	11	12
	413		407		413		413		
409	18	413	17	407	16	412	15	14	13
	412		406		411		412		
409	19	412	20	406	21	411	22	23	24
	412		406		410		411		
409	30	411	29	405	28	410	27	26	25
	411		405		409		410		
408	31	410	32	404	33	409	34	35	36
	405		405		406		406		

State Line

Meadows 413

405

Township 25 North, Range 15 East 2nd Mer.

Ch. Lk.

South Boundary.

Ind. $\frac{a}{n}$

Var. —

East On E. Side of Sec. 31.

20.65 a Beech 15 in. diam.

40.00 Set 9 sec. post, from which
a Hickory 12 in. dia. bears N 40 E, 31 lks. dist. X
a S. Ash 16 " " " S 40 W, 17 " "

44.00 To Wabash and set a meand. post
a B. Oak 20 in. dia. bears N 22 W, 6 lks. dist. X
a Hickory 20 " " " S 2 E, 11 lks. dist.

49.15 Over River and set a meand. post.
a Walnut 6 in. dia. bears N 77 E, 12 lks. dist. X
a Hackberry 12 " " " S 6 W, 11 lks. dist.

60.00 To Wabash 10 c lks. wide course S. W. and
set a meand. post, from which
a Wh. Elm 14 in. diam. bears N 54 E, 27 lks. dist.
a Do. 12 " " " N 69 W, 12 " "

62.00 a Hickory 8 in. diam. for meand. post
on opposite side of River, from wh.
a H. Oak 24 in. dia. bears N 27 W, 23 lks. dist. X

66.50 a Brook 12 lks. wide course N. W.

80.00 Set post cor. to Secs. 31 & 32, from which
a Beech 24 in. diam. bears S 23 W, 15 lks. dist. X
a H. Elm 6 " " " N 8 E, 39 " "
Level 2nd rate land. Timber: Beech,
Oak, Sugar, Birch & Spruce.

East On E. Side of Sec. 32.

3.80 To Wabash River course N. W. Current
still & set a meand. post, from which
a Hackberry 16 in. dia. bears S 8 W, 11 lks. dist. X
a Wh. Elm 14 in. dia. for Cor. tree.

9.00 Over River & set post, from which
a B. Oak 20 in. dia. bears S 65 E, 23 lks. dist. X

10.00 a House bears S 45 E,

20.00 a House bears S 49 W,

S. 25 N. R. 15 E. 2nd Mer. Ind.

Ch. No.

- 22.00 a Run 8 lb. wide Course S.
 40.00 Set gr. sec. post, from which
 a W. Oak 30 in. dia. bears N 80 W. 11 lb. dist.
 a Wh. Elm 12 " " " S 4 E. 16 " "
 46.00 a Run 5 lb. wide Course S.
 49.00 Road to fort Wayne from Fort
 Recovery
 80.00 Set post cor. to Sec. 32 & 33, fr. wh.
 a Beech 20 in. dia. bears N 66 E. 15 lb. dist.
 an Elm 24 " " " S 55 W. 37 " "
 Land, good for farming level Beech.
 Sugar Ash and Spice.

East On S. side of Sec. 33.

- 18.10 a Beech 24 in. diam.
 40.00 Set gr. sec. post, from which
 a Beech 12 in. dia. bears N 24 W. 25 lb. dist.
 a Hickory 6 " " " S 4 E. 4 lb. dist.
 80.00 Set post cor. to Sec. 33 & 34, fr. wh.
 a Sugar 18 in. dia. bears S 74 W. 4 lb. dist.
 a Do. 12 " " " N 73 E. 68 " "
 Land, good 2nd rate level, Beech
 Sugar Ash and Spice.

East On S. side of Sec. 34.

- 6.00 a Stream 10 lb. wide Course S.
 23.00 To the Wabash River 150 lb. wide
 Course S.W. where a Sugar 6 in
 diam. for cor. on River, fr. wh.
 a W. Oak 24 in. dia. bears S 85 W. 4 lb. dist.
 25.00 Over River & set a meand. post on
 margin, Low ground, no trees.
 26.70 To Wabash 150 lb. wide Course N.E.
 28.43 Over River & set post, from which
 a W. Oak 16 in. dia. bears N 60 W. 10 lb. dist. &
 a Hickory 12 " " " N 5 E. 12 " "

T. 24 N. R. 15 E. 2nd Mer. Ind^a 407

Ch. 40

40.00 Set q. sec. post, from which
 a Hickory 12 in. dia. bears S 75 W. 13 lb. dist.
 a Sugar 8 " " " S 84 E. 10 lb. dist.
 75.94 Intersect State line 11 ch. & 50 lb. S.
 of 101 mile post & set post, from wh.
 a Hickory 14 in. dia. bears N 58 E. 18 lb. dist.
 a Do. 12 " " " S 20 W. 13 " "
 Land, good 2nd rate rolling. —
 Timber: Beech Sugar Ash &c.
 Surveyed in 18—
 By J. J. Worthington,
 Dep. Sur.

North Boundary.

East On S. Side of Sec. 31. T. 26 N. R. 15 E.
 8.00 Leave Prairie.
 17.00 Enter Swamp
 22.50 Leave Swamp
 40.00 Set q. sec. post from which
 a Beech 18 in. dia. bears S 72 W. 35 lb. dist. &
 a No. Oak 30 " " " S 75 E. 40 " "
 80.00 Set post cor. to Sec. 31 & 32, fr. wh.
 a Hickory 16 in. dia. bears S 72 W. 35 lb. dist.
 a No. Oak 12 " " " N 33 E. 51 " "
 Land, 2nd rate level. Beech Ash,
 Hickory and Spruce.

East On S. Side of Sec. 32. T. 26 N. R. 15 E.
 18.33 Road to Hartwayne
 40.00 Set q. sec. post, from which
 a Sugar 10 in. dia. bears N 22 E. 40 lb. dist. &
 a Do. 20 " " " S 22 W. 26 " "
 67.00 Cropped Branch 15 lb. wide C. N.
 80.00 Set post cor. to Sec. 32 & 33, fr. wh.
 a Beech 16 in. dia. bears N 57 E. 11 lb. dist. &

408

T. 25 N. R. 15 E. 2nd Mer. Ind. a
Chs. W.

a Beech 14 in. dia. bears S 90 W, 10 lb. dist.
Land, 2nd rate level. Tim. Beech,
Sugar, Ash, & Spice

East On E. Side of Sec. 33. T. 26 N. R. 15 E.

38.50 a Run 6 lb wide Course, N.

40.00 Set q. Sec. post, from which
a Hickory 15 in. dia. bears S 90 W, 12 lb. dist.

+ An Ash 18 in. dia. bears N 85 E, 26 " "

48.50 a Run 20 lb. wide Course North.

80.00 Set post Cor. to Sec. 33 & 34, fr. wh.

a Sycamore 20 in. dia. bears S 90 W, 50 lb. dist.

An Ash 15 in. dia. bears N 17 E, 30 lb. dist.

Land, 2nd rate level. Tim. Beech
Ash, Spice & P. Ash. &c.

East On E. Side of Sec. 34. T. 26 N. R. 15 E.

40.00 Set q. Sec. post, from which

a Beech 4 in. dia. bears S 70 E, 30 lb. dist. &

a Sugar 15 " " " N 60 W, 27 " "

56.50 Enter Swamp

68.00 Left Swamp

78.86 Intersect State Line.

Land, W^{1/2} good for farming level.

Beech, Sugar, Ash, & Syc. East 1/2

part Swamp & part same.

Surveyed in 18—

By

J. J. Worthington, D.S.

West Boundary.

North On E. Side of Sec. 36. T. 25 N. R. 14 E.

26.00 a Run 10 lb. wide Course N. E.

40.00 Set q. Sec. post, from which

a Buckeye 12 in. dia. bears N 80 W, 8 lb. dist. &

a Monbeam 4 in. dia. " S 28 E, 7 " "

Var. 5 1/2 E.

T. 25 N. R. 15 E. 2nd Mer. Ind. 409
Ch. 80.

41.00 To the Wabash River 200 ft. wide
Course N.W. (nothing more said)
58.20 an Oak 20 in. dia.
76.00 a Brook 15 ft. wide —
80.00 Set post cor. to Sec. 25 & 30, fr. wh.
a Sugar 14 in. dia. bears S 69 E 14 ft. dist. &
an Elm 14 " " " N 35 W 31 " "
Over good farming land. Timber Beech,
Oak, Sugar, & und. 8th. Spruce.

North On E. side of Sec. 25. T. 25 N. R. 14 E.

7.20 an Ash 12 in. dia.

40.00 Set gr. sec. post. from which
a Beech 14 in. dia. bears S 32 = 8 ft. dist. &
a Do. 13 " " " N 32 W 8 " "

47.70 a Sugar 14 in. dia.

80.00 Set post cor. to Sec. 24 & 25, fr. which
a Beech 13 in. dia. bears East, 21 ft. dist.
a Do. 8 " " " S 60 W 23 " "
Land, same.

North On E. side of Sec. 24. T. 25 N. R. 14 E.

31.90 a Beech 13 in. dia.

40.00 Set gr. sec. post. from which
a Beech 15 in. dia. bears N 49 E 11 ft. dist.
a Do. 12 " " " S 62 W 31 " "

56.31 an Elm 14 in. dia.

80.00 Set post cor. to Sec. 13 & 24, fr. which
a Hickory 14 in. dia. bears S 37 W 20 ft. dist.
an Oak 40 " " " N 5 W 24 " "
Land, level & wet. Oak & Beech.

North On E. side of Sec. 13. T. 25 N. R. 14 E.

14.64 a Hickory 12 in. diam.

40.00 Set gr. sec. post. from which
a Beech 12 in. dia. bears S 88 W 27 ft. dist. &

410 T. 25 N. R. 15 E. 2nd Mer. Ind^a

ch. sp. A Hickory 14 in. diam. bears N. 2 E 13th dist
 52.30 A Beech 15 "
 80.00 Set post cor. to Sect 12 & 13 from which
 A Hickory 14 in diam bears S 11 E 2¹/₄ lbs. dist
 An Ash 6 " " " N 21 E 4 " "
 Land &c the same

North On East side of Sec 12 T. 26 N. R. 14 E.
 40.00 Set gr. Sec. post fr wh
 An Ash 10 in. diam S 25 W. 15 lbs. dist
 A Beech 12 " " S 84 E 19 " "
 57.72 A Beech 16 " "
 80.00 Set post cor to Sect 11 & 12 from which
 A Beech 13 in. diam. bears S 18 E 23 lbs. dist
 A Sugar 8 " " " N 5 W 23 " "
 Land &c the same.

North On East side of Sec 1. T 26 N R 14 E
 6.50 Swamp north East
 28.50 An Oak 36
 40.00 Set gr Sec. post from which
 A Wh. Oak 9 in. diam. bears S 40 E 16 lbs.
 A Do 12 " " " N 16 W 21 "
 44.00 A Barok course North West
 80.00 Set post cor. to Sect. 25 & 26 N. R. 14 & 15 E
 fr. wh
 A Willow 5 in. diam bears S 61 W 25 lbs. dist
 A Cherry 9 " " " N 17 W 34 " "
 Land Swampy. March 4. 1820
 Surveyed by John McDonald. D. S.

Subdivision.

Var. ---

North Between Sect. 31 & 32.

Saturday April 6th

1.94 To Wabash River cor. N. W. corner & slow.

T. 25 N. S. 15 E. 2nd Mer. Ind 4th 411

- an Ash 6 in. dia. bears S 3 E. 9 lb. dist.
- 4.80 a swamp. Ash 10 in. dia. Cor. Tree.
opposite side of Wabash River, where
a Hickory 18 in. diam. for cor. from which
a Buckeye 6 in. diam. S 46 E. 20 lb. dist.
- 27.41 a Beech 20 in. diam.
- 40.00 Set gr. Sec. post, from which
a Beech 20 in. dia. bears N 30 E. 21 lb. dist. X
an Ash 10 " " " S 4 W. 9 " "
- 57.38 a 12th Oak 30 in. diam.
- 80.00 Set post Cor. to Sec. 29, 30, 31 & 32, from wh.
an Ash 12 in. dia. bears N 51 W. 29 lb. dist. X
an Ironwood 6 in. dia. " S 31 E. 18 " "
Land, level 2nd rate. Beech, Ash,
Hickory and Oak. Spice Sec.

West On Random between Sec. 30 & 31.

- 40.00 Set temp. gr. Sec. post.
- 44.00 a Run 10 lb. wide Course S. E. W.
- 80.20 Intersect Range line at post.

East Corner line betwth Sec. 30 & 31.

- 40.10 Set gr. Sec. post, from which
a Hickory 12 in. dia. bears N 74 E. 11 lb. dist. X
a Hickory 20 " " " S 42 W. 12 lb. dist.
- 80.20 See cor.
Land, level good 2nd rate. Pine.
Beech, Ash Sugar & Spice.

North Between Sec. 29 & 30.

- 24.00 a Run 10 lb. wide Course S. W.
- 26.50 a Hickory 14 in. dia.
- 40.00 Set gr. Sec. post, from which
a Beech 18 in. dia. bears S 82 W. 31 lb. dist.
an Ash 18 " " " S 78 E. 6 " "
- 62.80 a Beech 18 in. diam.
- 80.00 Set post, Cor. to Sec. 19, 20, 29 & 30, fr. wh.

412

T 25 N. R. 15 E. 2nd Mer. Ind. a
4th Lk.

a Beech 16 in. dia. bears N 74 E. 4 lks. dist. &
 a Sugar 6 " " " S 80 W. 138 " "
 Land, good 2nd rate level. Timb.
 Beech, Sugar Ash, Spice &c.

West On Range line between Sect. 19 & 30.

40.00 Set temp. gr. sec. post.

50.00 a Run 5 lks. wide Course South.

76.00 a Do. 5 " " " South.

79.64 Intersect Range line 9 lks. N. of post.

East Corner line between Sect. 19 & 30.

39.82 Set gr. sec. post. from which

a Hickory 20 in. dia. bears N 37 W. 10 lks. dist. &

a swp. Ash 6 " " " S 30 E. 15 " "

Land, 2nd rate level. Timb. Oak.

Hickory Beech, Spice &c.

79.64 Sec. cor.

North Between Sect. 19 & 20.

18.00 a Sugar 18 in. dia. sec.

21.00 a Run 8 lks. wide Course E.

40.00 Set gr. sec. post. from which

an Ash 12 in. dia. bears N 34 W. 31 lks. dist. &

an Ash 12 " " " S 18 E. 32 " "

68.40 a Hickory 12 in. dia.

80.00 Set post cor. to Sec. 17, 18, 19 & 20, fr. wh.

a Wh. Oak 30 in. dia. bears N 80 E. 22 lks. dist. &

a Key. 14 in. dia. bears S 83 W. 18 " "

Land, 2nd rate level. Timb. Oak, Beech,

Hickory & Ash. and. Spice.

West On Range line between Sect. 18 & 19.

40.00 Set gr. sec. temp. post.

80.48 Intersect Range line 29 lks. S. of post.

T. 25 N. R. 15 E. 2nd Mer. Ind^a

Ch^a 2nd

East correct line betwⁿ sec. 18 & 19.
40.24 set gr. sec. post, from which
a Beech 20 in. dia. bears S 54 E. 24 lb. dist. &
a Do. 14 " " " N 63 W. 46 " "
80.48 Sec. cor. Land, level 2nd rate.
Timb: Beech, Hickory, Ash & Spice.

North Between Sec. 17 & 18.

19.21 a B. Oak 24 in. diam.
40.00 set gr. sec. post, from which
a Beech 12 in. dia. bears S 67 E. 30 lb. dist.
a Do. 12 " " " N 77 W. 32 lb. dist.
50.00 Enter swamp off set.
53.00 Left swamp, enter line.
64.25 a B. Oak 26 in. diam.
80.00 set post cor. to sec. 7, 8, 17 & 18, fr. wh.
a Beech 12 in. dia. bears N 39 E. 27 lb. dist.
a Do. 12 " " " S 67 W. 14 lb. dist.
Land, 2nd rate level. Timb: Ash,
Beech, Hickory, Oak. Spice & P. Ash.

West On Random Between Sec. 7 & 18.
April 6th

40.00 set temp gr. sec. post.
80.96 Intersect Range line 25 lb. N. of post.

East correct line betwⁿ sec. 7 & 18.

40.48 set gr. sec. post, from which
a Beech 18 in. dia. bears N 58 E. 13 lb. dist.
an Ash 12 " " " S 35 W. 40 " "
80.96 Sec. cor. Land, level 2nd rate.
Timb: Beech, Ash, Oak & Spice.

North Between Sec. 7 & 8.

34.90 a Sugar 20 in. diam.
36.50 Enter swamp.

404

S. 25 N. N. 15 E. 2nd Mer. Ind^a

Ch. Mo.

- 38.50 Left Swamp.
 40.00 Set gr. sec. post, from which
 a Wh. Elm 20 in. dia. bears N 7 E, 45 lb. &
 a Beech 20 " " " N 10 W, 29 " dist.
 71.00 a Br. Oak 24 " "
 80.00 Set post, cor. to Sect. 5, 6, 7 & 8, fr. which
 a Beech 6 in. dia. bears S 7 E, 35 lb. dist. &
 a Hickory 18 " " " N 10 W, 35 " "
 Land, level & wet. Timb. Beech,
 Ash, Elm P. Ash & Spice.

West On Random Betwⁿ Sec. 6 & 7.

- 40.00 Set temp. gr. sec. post.
 50.50 a Hickory 16 in. dia. & a Elm 10 in. dia. N. of post.
 80.50 Intersect Township line 8 lb. N. of post.

East Correct line betwⁿ Sec. 6 & 7.

- 40.12 Set gr. sec. post, from which
 a Beech 18 in. dia. bears N 10 W, 30 lb. dist. &
 an Oak 24 " " " S 30 E, 16 " "
 80.25 Sec. cor. Land, level & wet.
 Timb. Beech, Ash Elm, Spice &c.

North Between Sect. 5 & 6.

- 27.00 a Sugar 12 in. diam.
 40.00 Set gr. sec. post, from which
 an Ash 8 in. dia. bears N 70 W, 10 lb. dist. &
 a Hickory 16 in. " " S 56 E, 10 " "
 81.60 Intersect Township line 83 lb. E. of post
 & set post cor. to Sect. 5 & 6, fr. which
 an Ash 18 in. dia. bears N 15 E, 34 lb. dist. &
 a Hickory 20 " " " S 47 W, 10 " "
 Land, wet level. Tim. Beech, Ash, Elm.

North Between Sect. 32 & 33. April 8.

- 16.04 a Beech 20 in. dia.
 40.00 Set gr. sec. post, from which

405

T. 25 N. R. 15 E. 2nd Mer. Ind. a

Ch. 40

a Hickory 15 in. dia. bears N 5 W. 18 lb. dist. &
 a Hickory 8 in. dia. " " 14 W. 40 " "
 54.00 a Do. 20 " "
 80.00 Set post cor. to sec. 28, 29, 32 & 33, fr. wh.
 a Beech 12 in. dia. bears N 15 W. 11 lb. dist. &
 a Do. 12 " " " " 15 E. 49 " "
 Land, 2nd rate level. Timber. Ash
 Beech, Hickory, Ash & Spruce.

West a Random between sec. 29 & 32.

37.00 Road from Hot wagon to Hot
 Recovery.

40.00 Set temp. gr. sec. post.

72.00 a Run 4 lb. wide Course N.

80.20 Intersect N & S line 81 lb. N. of post.

East correct line between sec. 29 & 32.

40.10 Set gr. sec. post, from which
 a Beech 12 in. dia. bears N 10 E. 42 lb. dist.
 a Do. 24 " " " " 10 W. 14 " "
 Land, 2nd and level. Timber.
 Beech, Ash, Hickory, Oak, Spruce and
 P. Ash.

80.20 Section corner.

North between Sec. 28 & 29.

24.00 a stream 8 lb. wide Course W.

27.30 a Beech 18 in. diam.

40.00 Set gr. sec. post, from which

a Hickory 12 in. dia. bears N 11 E. 26 lb. dist.

a Do. 12 " " " " 13 W. 18 " "

56.71 a Beech 24 " "

80.00 Set post cor. to Sec. 20, 21, 28 & 29, fr. wh.

a Beech 20 in. dia. bears N 82 E. 13 lb. dist.

a Do. 18 " " " " 48 W. 26 " "

Land, 2nd rate level Timber. Ash,

406 S. 25 N. N. 15 E. 2nd Mer. Ind^a

Wh. Oak Hickory Spice & P. Alb.

West On Random bet^h Sec. 20 & 29.

25.00 Enter Swamp.

40.00 Set temp. gr. sec. post.

42.00 Left Swamp.

45.50 Road from Mt. Wayne to Mt. Recovery.

61.50 a Run 8 lb. wide Course S.

80.40 Intersect N & S. line 21 lb. N. of post.

East correct line bet^h Sec. 20 & 29.

40.20 Set gr. sec. post. from which
an Aspen 5 in. dia. bears N 53° W. 11 lb.
a P. Oak 12 in. " " N 46° E. 53 "

80.40 Sec. cor. Land, wet. Timber -
Beech, Elm, Oak, Spice P. Alb
& Willow.

North Between Sect 20 & 21.

21.83 a Wh. Oak 20 in. diam.

24.00 Enter Swamp. } Knee deep

29.00 Left Do. } only.

40.00 Set gr. sec. post. from which
a Wh. Oak 10 in. dia. bears N 53° W. 24 lb.
a P. Oak 14 " " " N 38° E. 38 lb. dist.

52.50 Enter Swamp

62.50 Left Do.

63.61 a Wh. Oak 24 in. diam.

80.00 Set post cor. to Sec. 16, 17, 20 & 21, for which
a Beech 20 in. dia. bears N 1° W. 3 lb. dist.
a Do. 18 " " " S 1° E. 47 " "
Land, wet Swampy. Beech, Oak,
Aspen & Elm, Rose bush & willow.

West On Random bet^h Sec. 17 & 20.

40.00 Set temp. gr. sec. post.

407

S 25 N. 14. 15 E. 2nd Mer. Ind. a.
 46.50

46.50 To Fort Wayne Road.
 80.00 Intersect N & S. line 30th N. of post.

East Corner line betⁿ Sec. 17 & 20.
 40.25 Set q. sec. post from which
 a Beech 12 in. dia. bears S 67 E. 25th N. dist.
 a Hickory 12 " " " N 67 W. 45 " "
 80.50 Sec. cor.
 Land, 2nd rate and level. Timb. Ash
 Beech, Oak and Hickory.

North Between Sec. 16 & 17.
 15.28 a H. Oak 30 in. diam.
 40.00 Set q. sec. post, from which
 a Hickory 24 in. dia. bears N 15 W. 23th N. dist.
 a H. Oak 24 " " " S 20 E. 27 " "
 66.50 a Wh. Elm 16 in. dia.
 80.00 Set post, cor. to Sec. 8, 9, 16 & 17th N. on
 an Ash 5 in. dia. bears N 32 E. 7th N. dist.
 a Wh. Elm 18 " " " N 44 W. 28 " "
 Land, wet level Beech, Ash, Elm,
 Spruce & P. Ash

West. On a random between Sec. 8 & 17.
 40.00 Set temp. q. sec. post, from which
 55.00 Road to Fort Wayne
 56.00 a Run 10th wide course N.
 56.50 Enter Swamp.
 60.30 Left Swamp
 80.25 Intersect N & S. line 20th N. of post.

East Corner line between Sec. 8 & 17.
 40.12 Set q. sec. post, from which
 an Ash 18 in. dia. bears N 22 W. 15th N. dist.
 a Do. 18 " " " S 22 E. 22th N. dist.
 80.25 Secor.

408 S. 25. 8 N. 15 E. 2nd Mer. Ind^a
Ch. 1102

Land, level 2nd rate. Timber, Ash
Beech, Elm, P. Ash, Spice & Willow.

North Between Sec. 8 & 9.

16.00 a Hickory 24 in. diam.

40.00 Set gr. sec. post, from which
a Beech 14 in. dia. bears N 89 E. 34 W. dist.
Do Do. 16 " " " N 58 W. 26 " "

72.00 an Ash 24 in. diam.

80.00 Set post cor. to Sect. 4, 5, 8, & 9, fr. wh.
a Wh. Oak 34 in. dia. bears N 58 W. 19 W. dist.
an Elm 18 in. dia. " S 58 E. 64 W. "

Land, wet and level. Timber,
Beech, Ash, Oak, Elm, Spice and
P. Ash &c.

West

28.00

40.00

53.50

68.00

80.28

On Handson between Sec. 5 & 8.
Crossed a Brook 3 times 8 W. wide course N. E. N.

Set temp. gr. sec. post.

Road to Fort Wayne.

Enter swamp off set

Leave Do. to line

Intersect N & S line 55 W. N. of post.

East

40.14

80.28

Correct line between Sec. 5 & 8.

Set gr. sec. post, from which
a Beech 20 in. dia. bears N 85 W. 25 W. dist.
an Ash 12 " " " S 78 E 15 " "

Sec. corner.

Land, wet and level. Timber, Ash
Beech, Elm, - P. Ash, Spice & Willow.

North

2.00

20.50

33.00

40.00

Between Sec. 4 & 5.

Swampy.

a No. Oak 40 in. diam.

a Brook 5 W. wide course W.

Set gr. sec. post, from which
a Beech 12 in. dia. bears N 24 W. 22 W. dist.

S. 25 N. 15 E. 2nd Mer. Ind^a 409

Ch. 44 a Hickory 12 in. dia. bears 12 E. 58 lb. dist.
 63.11 a Wh. Oak 24 in. dia.
 81.63 Intersect Town line 24 lb. E. of post.
 & set post cor. to Sec. 4 & 5, from which
 a Beech 15 in. dia. bears N 68 W. 14 lb. dist. &
 a Do. 18 " " " N 68 E. 37 " "
 Land, 2nd rate level. Beech, Ash,
 Oak, Spice & P. Ash.

North Between Sec. 33 & 34.
 April 12th 1822.

17.96 a Beech 18 in. dia.
 40.00 Set gr. sec. post. from which
 a Beech 14 in. dia. bears N 72 W. 27 lb. dist. &
 a Hickory 14 " " " N 85 E. 39 " "
 60.24 a Sugar 30 in. dia.
 63.50 a Run 8 lb. wide course E.
 76.51 a Do. 8 " " " E.
 80.00 set post cor. to Sec. 27, 28, 33 & 34, —
 a Hickory 24 in. dia. bears N 44 W. 14 lb. dist.
 a Do. 12 " " " N 74 E. 42 " "
 Land, good for farming, rolling
 Timber Beech Sugar, Ash and
 Spice. — sunshine —

West on Road between Sec. 28 & 33.

3.50 a Brook 8 lb. wide course S.
 40.00 Set temp. gr. sec. post.
 79.76 Intersect 10 lb. N. of post the N. & S. line

East corner line betⁿ Sec. 28 & 33.

39.86 set gr. sec. post. from which
 a W. Oak 16 in. dia. bears N 35 E. 18 lb. dist. &
 a Hickory 18 " " " N 40 W. 66 " "
 Land, 2nd rate level Beech Sugar & Ash.
 79.76 Sec. corner.

S. 25 N. S. 15 E. 2nd Mer. Ind^a

Ch^a 40^a

East Between Sect. ²⁹ 29 & 34.
 26.28 a H. Oak 36 in. diam.
 32.00 a stream 10 lb. wide course South.
 40.00 Set gr. sec. post. from which
 a Hickory 20 in. dia. bears N 12 W. 5 lb. dist. &
 an Ash 6 " " " 14 W. 11 " "
 55.06 a Beech 20 in. "
 76.80 Intersected State line & set a post
 from which
 a Beech 30 in. dia. bears N 84 E. 25 lb. dist. &
 a Do. 18 " " " S 78 W. 49 " "
 Land, good, 2nd rate. level. Timb.
 Beech, Sugar Ash, — Spice & Hawth.

North Between sections 27 & 28.

17.61 an Ash 36 in. diam.
 40.00 Set gr. sec. post. from which
 an Ash 12 in. dia. bears N 49 W. 29 lb. dist. &
 a Beech 20 " " " S 59 E. 42 " "
 62.00 a Beech 18 " "
 80.00 Set post cor. to Sect. 21, 22, 27 & 28, —
 a Beech 12 in. dia. bears N 25 W. — —
 a Do. 18 " " " S 25 E. — —
 Land, level & wet. Timb. Ash,
 Beech, Oak & Elm. — Spice and
 P. Ash.

West On random betw^a Sect. 21 & 28.

40.00 Set temp. gr. sec. post.
 58.50 a Run 10 lb. wide course N.
 79.56 Intersect N & S line 20 lb. N. of post.

East Connect line between Sect. 21 & 28.

39.78 Set gr. sec. post. from which
 a Beech 20 in. dia. bears N 35 W. 20 lb. dist.
 a Do. 15 " " " S 80 W. 30 " "

411

T. 25 N. R. 15 E. 2nd Mer. Ind.
 ch. 40?

79.56 Section Corner.
 Land, level 2nd rate level. —
 Timb. Beech, Sugar Ash Spice &c.

East Between Sec. 22 & 27.
 36.50 a H. Oak 24 in. diam.
 40.00 Set gr. sec. post, from which
 a Beech 15 in. dia. bears N 54 W. 9 lb. dist.
 a Do. 18 " " " Sy 41.20 " "
 60.13 a Cotton wood 30 in. diam.
 77.11 Intersect State Line & set a post.
 from which
 a Hickory 18 in. dia. bears N 63 E. 17 lb. dist.
 a Lym 16 " " " N 26 W. 25 " "
 Land, level & wet. Timber, Beech
 Ash, Elm & oak — P. Ash & Spice.

North Between Sec. 21 & 22.
 18.00 a Yrh. Elm 30 in. diam.
 40.00 Set gr. sec. post, from which
 a Swp. Ash 24 in. dia. bears N 80 E. 12 lb. &
 an W. Elm 18 " " " Sy 29 W. 31 " dist.
 55.52 a Bl. Oak 30 in. diam.
 63.00 Enter Swamp
 80.00 Set post cor. to Sec. 15, 16, 21 & 22
 an Ash 18 in. dia. bears N 78 E. 33 lb. dist. &
 an Apple 8 " " " Sy 0 W. 6 lb. dist.
 Land, wet level. Timb. Beech —
 Ash & Elm — Spice & P. Ash.

West On Random Between Sec. 16 & 21.
 7.00 Leave Swamp
 40.00 Set temp. gr. post.
 57.00 Enter Swamp
 60.50 Leave Do.
 77.70 Intersect N & S line 30 lb. N. of Post.

412 S. 25 N. R. 15 E. 2nd Mer. Ind. #
Ch. 210

East correct line between Sec. 16 & 21.
39.85 Set q. sec. post. from which
a Beech 20 in. dia. bears N 104 W. 25 lb. dist. X
a Do. 15 " " " S 13 E. 34 " "
79.70 Sec. cor.
Land, wet and level. Timb. Beech,
Ash, Aspen Elm Spice & P. Ash.

East Between sections 15 & 22.
4.60 Leave Swamp.
22.00 a R. Oak 30 in. diam.
40.00 Set q. sec. post. from which
a Jack Oak 12 in. dia. bears N 174 W. 41 lb. dist. X
a Do. 6 " " " S 24 E. 18 " "
→ 62.00 a stream 15 lb. wide e. N.
77.30 intersect state line 10 ch. & 26 lb. S. of the
104 mile post. & set post cor. to Sec. 15 & 22
from which
a B. Walnut 15 in. dia. bears N 66 E. 32 lb. dist. X
a Beech 15 " " " S 3 E. 30 " "
Land, level & wet. Timb. Beech,
Ash, Aspen, Elm Oak. very bushy P.
Ash & willow &c.

North Between Sec. 15 & 16.
5.00 Left Swamp
24.27 a Sugar 15 in. diam.
40.00 Set q. sec. post. from which
a Sycamore 24 in. dia. bears N 24 W. 19 lb. dist. X
an Ash 5 in. dia. bears S 18 W. 4 lb. dist.
64.40 an Ash 24 " "
70.00 Enter Swamp
79.50 Left Swamp
80.00 Set post cor. to Sec. 9, 10, 15 & 16, fr. wh.
a Beech 18 in. dia. bears N 36 W. 34 lb. dist. X
a Do. 10 " " " S 45 E. 12 " "

413

T. 25. N. R. 15 E. 2nd Mer. Ind.
Ch. 10.

Land, wet and level. Limb. Ash,
Oak, Elm, Cottonwood &c. and.
spruce & P. Ash.

West An. Random betwⁿ sec. 9 & 16.

40.00 Set gr. sec. temp. post.

79.60 Intersect N & E. line 20 Ch. N. of post.

East Correct line Between sec. 9 & 16.

39.80 Set gr. sec. post, from which
a Wh. Oak 24 in. dia. bears N 28 E. 38 Ch. &
a Beech 10 " " " S 20 W. 60 " dist.
Land, flat & wet. Beech Elm, Maple
and P. Ash. &c.

79.60 Sec. Cor.

East Between Sec. 10 & 15.

26.00 an. Ash 30 in. dia.

40.00 Set gr. sec. post. from which
a Wh. Elm 16 in. dia. bears S 72 E. 47 Ch. dist. <
a Beech 16 " " " S 76 W. 16 " "

50.00 a swamp 6 Ch. wide Course N.

63.61 a Burr Oak 30 in. diam.

77.50 Intersect State line & set post, fr. wh.
a Beech 20 in. dia. bears S 88 E. 28 Ch. dist. &
a Do. 20 " " " N 77 W. 18 " "

Land, wet level. Limb. Ash,
Oak, Maple Elm, P. Ash & Willow.

North Between Sec. 9 & 10.

32.30 a Wh. Elm 12 in. diam.

40.00 Set gr. sec. post. from which
a Beech 12 in. dia. bears N 32 W. 36 Ch. dist. &
an Ash 6 " " " S 20 E. 25 " "

66.00 a Wh. Elm 30 in. diam.

80.00 Set post cor. to Sec. 3, 4, 9 & 10, fr. which

414 S. 25. N. R. 15 E. 2nd Mer. Indiana.
ch. 1/2

a Beech 12 in. dia. bears N 55 W 19 lb. dist. &
a Wh. Oak 36 in. dia. " 45 W. 19 " "
Level wet land. Beech, Oak, Elm,
Spice and P. Ash.

West On Handson betwⁿ Sec. 4 & 9.
40.00 Set temp. ga. sec. post.
79.60 Intersect N.E. line 30 lb. N. of post.

East Correct line betwⁿ Sec. 4 & 9.
39.80 Set ga. sec. post. from which
a Snp. Ash 24 in. dia. bears N 64 E. 40 lb. &
a Wh. Elm 15 " " " 40 W. 43 " dist.
Land, level wet. Timb. Ash, Oak, Maple
Elm, Spice & P. Ash.
79.60 Section Corner.

East Between Sec. 3 & 10.
18.50 a Wh. Oak 36 in. diam.
28.00 Enter Swamp
40.00 Set ga. sec. post. in Swamp
from which
→ an Ash 15 in. dia. bears S 87 W. 122 lb. dist. &
a Pin. Oak 20 " " " N 87 E. 220 " "
60.50 a Ro. Oak 20 " " at 48 ch. Left Swamp.
79.80 Intersect State line & set post. from wh.
a Wh. Elm 24 in. dia. bears S 66 E. 10 lb. dist.
a Do. 14 " " " " N 82 E. 25 " "
Land, Swampy Timb. Elm, Maple,
Ash, Oak, P. Ash Willow &c.

North Between sections 3 & 4.
22.00 a Run 10 lb. wide C. E.
22.45 a Snp. Ash 12 in. dia.
40.00 Set ga. sec. post. from which
an Ironwood 5 in. dia. bears N 10 E. 24 lb. dist. &

D

415

S. 25 N. R. 15 E. 2nd Mer. Ind^aCh^a No.

57.10 a Beech 16 in. dia. bears S 67^W 30 Ch^a dist.

60.00 a Hickory 20 in. dia.

83.20 a stream 20 Ch^a wide course W.

Intersect N. Boundary of Township
73 Ch^a E. of post & set post corner
to sec. 3 & 4, from which
a Beech 18 in. dia. bears N 36^W 40 Ch^a dist. &
a Do. 15 " " " S 39^E 23 " "

Land, level wet. Beech, Ash, Oak,
Hickory, P. Alb & Spice,

Meanders of the Wabash River
Beginning at corner to Sec.
31. W Boundary on South side
of the River - Thence
up stream.

Courses, Ch^a Ch^a.

S 64^E 4.50
S 58^E 15.50
S 35^E 5.00
S 55^E 6.00
N 86^E 4.50
S 6^E 4.00
S 19^W 10.00
S 39^E 6.00
East 21.00
S 31^W 4.75

Cor. to Sec. 31 or Town line.

Beginning at corner at the
last intersection of the River
with the S. Boundary of sec.
31, Thence

N 36^E 5.00
N 47^E 4.00
N 25^W 5.00
N 67^E 3.50
S 75^E 5.50

416

S. 25 N. Sec. 15 E. 2nd Mer. Ind. 4th

Lowes ch. L.A. Meanders continued.

S35 E 5.50

S27 E 5.00

S61 E 4.91 (at 1.50 Cor. to Sec. 31 & 32.
at 4.91 Cor. to T^{ps} 24 & 25.Beginning at corner at the
intersection of the River with
the W. Boundary of Sec. 31.
Thence up stream

S59 E 10.00

S50 E 5.00

S40 E 11.50

S73 E 10.00

S19 E 5.00

S11 W 8.50

S63 W 3.75

S50 E 3.50

N84 E 17.50

S72 E 5.50

S20 W 7.25 Cor. to Towns 24 & 25.

Beginning at the last inter-
section of the River with the
South boundary of Sec. 31.
Thence up the River.

N31 E 4.50

N3 E 5.50

N33 E 3.60

N70 E 6.00

S72 E 6.50

S48 E 4.00

S20 E 7.50

S62 E 5.00

S70 E 4.00

at 4. Cor. to Sec. 31 & 32.

Cor. to Towns 24 & 25.

T. 25 N. R. 15 E. 2nd Mer. Ind. ⁴¹⁷

This Township was surveyed in April
1822 by
Lat. J. Worthington, D.S.

I Certify that the foregoing transcripts
of field notes of fractional Township
N. 25 North in Range N. 15 East 2nd
Mer. in Indiana, has been compared
with the Original on file in this
Office and found to be correct.

Surveyor General's Office
Cincinnati, March 29th 1845.

William Johnston
Sur. Genl.